## Claims

 $1.\ 2\alpha\text{-methyl-}2\beta\text{-[(1,2,3-triazol-1-yl)methyl]penam-}3\alpha\text{-carboxylic acid benzhydryl esteracetone crystals.}$ 

5

2. Crystals according to Claim 1 that have a peak at an interplanar spacing of 11.24 to 12.44 Å in the X-ray powder diffraction pattern obtained by copper radiation of  $\lambda=1.5418$  Å through a monochromator.

10

25

- 3. A process for producing  $2\alpha$ -methyl- $2\beta$ -[(1,2,3-triazol-1-yl)methyl]penam- $3\alpha$ -carboxylic acid benzhydryl ester-acetone crystals comprising the steps of:
- (A) concentrating an organic solvent solution containing  $2\alpha$ -methyl- $2\beta$ -[(1,2,3-triazol-1-yl)methyl]penam-  $3\alpha$ -carboxylic acid benzhydryl ester;
  - (B) dissolving the resulting concentrate in acetone; and
- (C) precipitating  $2\alpha$ -methyl- $2\beta$ -[(1,2,3-triazol-1-yl)methyl]penam- $3\alpha$ -carboxylic acid benzhydryl esteracetone crystals from the acetone solution thus obtained.
  - 4. A process for producing  $2\alpha$ -methyl- $2\beta$ -[(1,2,3-triazol-1-yl)methyl]penam- $3\alpha$ -carboxylic acid 1,1-dioxide benzhydryl ester comprising the step of reacting in an

solvent an oxidizing agent with  $2\alpha$ -methyl- $2\beta$ -[(1,2,3-triazol-1-yl)methyl]penam- $3\alpha$ -carboxylic acid benzhydryl ester-acetone crystals.

- 5. A process for producing crystals of 2αmethyl-2β-[(1,2,3-triazol-1-yl)methyl]penam-3α-carboxylic
  acid benzhydryl ester comprising the step of deacetonizing 2α-methyl-2β-[(1,2,3-triazol-1yl)methyl]penam-3α-carboxylic acid benzhydryl ester10 acetone crystals.
  - 6. A process for producing crystals of  $2\alpha$ -methyl- $2\beta$ -[(1,2,3-triazol-1-yl)methyl]penam- $3\alpha$ -carboxylic acid benzhydryl ester comprising the steps of:
- (A) concentrating an organic solvent solution containing  $2\alpha$ -methyl- $2\beta$ -[(1,2,3-triazol-1-yl)methyl]penam- $3\alpha$ -carboxylic acid benzhydryl ester;
  - (B) dissolving the resulting concentrate in acetone;
- (C) precipitating  $2\alpha$ -methyl- $2\beta$ -[(1,2,3-triazol-1-yl)methyl]penam- $3\alpha$ -carboxylic acid benzhydryl esteracetone crystals from the acetone solution thus obtained; and
- (D) de-acetonizing the  $2\alpha$ -methyl- $2\beta$ -[(1,2,3-25 triazol-1-yl)methyl]penam- $3\alpha$ -carboxylic acid benzhydryl

ester-acetone crystals.